

Technical Bulletin

Clarification on Throat Cultures

TO: Medical Staff and Clients

FROM: Dr. A. Christian Whelen, PhD, M.S., D(ABMM)

V.P. - Technical Director (Microbiology)

Terrie Koyamatsu, M(ASCP) Dr. Wesley Kim, MD Dr. Ana Ortega-Lopez, MD

Manager, DLS Microbiology Medical Director DLS Medical Director QMC Punchbowl,

and QMC West North Hawaii and Molokai

DATE: May 15, 2019

SUBJECT: Routine and Special Circumstance use of Throat Culture

The primary test for *Streptococcus pyogenes* group A (GAS) testing is by NAAT (PCR) – order code 5824. Screening patients for GAS is intended to identify and treat infected patients who are at risk for serious sequelae such as rheumatic fever, and NOT the pharyngitis because antibiotics do NOT decrease the longevitiy or severity of bacterial pharangitis.¹ For cases of suspected bacterial pharangytis caused by other beta hemolytic streptococci such as group C & G or *Arcanobacterium haemolyticum* we offer routine throat culture (616).

We do NOT screen for other potential pathogens such as *Haemophilus influenzae*, *Fusobacterium necrophorum Staphylococcus aureus*, *Candida* species, or *Moraxella catarrhalis* because they are often part of the normal upper respiratory flora and are NOT typically associated with pharangytis. Furthermore, we do NOT routinely screen for special circumstance pathogens such as extragenital *Neisseria gonorrhoeae*, *Neisseria menningitidis* colonization investigation, or unvaccinated diphtheria (*Corynebacterium diphtheria*) <u>unless</u> we are alerted to this possibility.

For special circumstance or complicated throat infections (e.g., epiglottitis, peritonsillar abscess, oral thrush, Lemierre's syndrome) please provide additional clinical information and/or target organisms on the requisition so that we can use special media and/or methods to more aggressively evaluate the cultures.

In addition to publishing this bulletin, we have incorporated additional ordering guidance in our on-line submission guidelines under METHODOLOGY (https://til.dlslab.com/physicians/test-directory-view-test/?test=6160).

Order codes: 5824 Strep A by Nucleic Acid Test

Throat culture (group C & G beta hemolytic streptococci or A. haemolyticum)

Extragenital culture for *Neisseria gonorrhoeae*Culture for *Corynebacterium diphtheriae*

Reference:

¹Shulman et al. 2012 IDSA Guidelines. CID:55

Please refer any questions to Terrie Koyamatsu, Manager - DLS Microbiology Laboratory at 589-5196, or DLS Client Services at 589-5101.